

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|--|--------------------------------|------------------|---------|------------------|
| L1 | 1 | ("20050081083").PN. | US-PGPUB | OR | OFF | 2007/11/16 09:13 |
| L2 | 1 | ("6460144").PN. | USPAT; USOCR | OR | OFF | 2007/11/16 09:13 |
| L3 | 1 | ("6122753").PN. | USPAT; USOCR | OR | OFF | 2007/11/16 09:13 |
| L4 | 1 | ("2000083038").PN. | JPO | OR | OFF | 2007/11/16 09:13 |
| L5 | 1 | ("2001326665").PN. | JPO | OR | OFF | 2007/11/16 09:13 |
| L6 | 1358 | (714/4).CCLS. | USPAT; USOCR | OR | OFF | 2007/11/16 09:13 |
| L7 | 186079 | ((grid OR distribute OR RAID OR (Redundant ADJ Array ADJ of ADJ Independent ADJ (Drives OR Disks)) OR demand OR utility OR cloud or volunteer) near2 computing) OR (computing ADJ on ADJ demand) OR (computer near2 computer) OR (virtual ADJ super\$1computer) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 09:13 |
| L8 | 133989 | (approximat\$3 OR guess\$2 OR estimat\$2 OR rough OR surmis\$2 OR relative) near3 result\$3 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 09:13 |
| L9 | 76 | L7 SAME L8 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 09:13 |
| L10 | 0 | L7 SAME L8 AND L6 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 09:13 |
| L11 | 34 | L7 WITH L8 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 09:13 |
| L12 | 17661 | ((grid OR distribute OR RAID OR (Redundant ADJ Array ADJ of ADJ Independent ADJ (Drives OR Disks)) OR demand OR utility OR cloud or volunteer) near2 (computing OR processing)) OR (computing ADJ on ADJ demand) OR (computer near2 cluster) OR (virtual ADJ super\$1computer) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 09:13 |
| L13 | 7 | L12 SAME L8 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 09:13 |

EAST Search History

| | | | | | | |
|-----|------|--|--------------------------------|----|----|------------------|
| L45 | 1359 | L39 AND (fault OR error OR inconsist\$5) near3 (detect\$3 OR determin\$5)) AND (((estimat\$3 OR approximat\$3 OR guess\$3) near3 (result OR data OR outcome))) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 13:42 |
| L46 | 240 | L39 AND ((fault OR error OR inconsist\$5) near3 (detect\$3 OR determin\$5)) SAME (((estimat\$3 OR approximat\$3 OR guess\$3) near3 (result OR data OR outcome))) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 13:43 |
| L47 | 102 | L39 AND ((fault OR error OR inconsist\$5) near3 (detect\$3 OR determin\$5)) WITH (((estimat\$3 OR approximat\$3 OR guess\$3) near3 (result OR data OR outcome))) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 13:43 |
| L48 | 88 | I47 AND @ad<"20031010" | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 13:49 |

EAST Search History

| | | | | | | |
|-----|---------|--|--------------------------------|----|----|------------------|
| L14 | 1039331 | (approximat\$3 OR guess\$2 OR estimat\$2 OR rough OR surmis\$2 OR relative OR generat\$3) near3 (result\$3 OR output OR data OR solution OR info OR information) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 09:13 |
| L15 | 567 | L12 SAME L14 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 09:13 |
| L16 | 4 | L15 AND L6 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 09:13 |
| L17 | 545 | "714".clas. AND "718".clas. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 10:31 |
| L18 | 231 | L17 AND L14 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 10:32 |
| L19 | 0 | L17 AND L14 AND ((grid OR distribute) near2 computing) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 10:33 |
| L20 | 3 | L17 AND L14 AND ((grid OR distribute) near2 network) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 10:34 |
| L21 | 56 | L17 AND L14 AND (grid OR distribute) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 10:50 |
| L22 | 12 | L17 AND L14 AND (grid OR distribute) AND (error near2 correct\$3) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 10:57 |
| L23 | 24 | L17 AND L14 AND L12 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 12:07 |
| L24 | 14 | L23 NOT (L22 OR L21 OR L20 OR L11) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 12:08 |
| L25 | 1039645 | L17 OR L14 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 12:10 |
| L26 | 1341 | L17 OR L14 AND ((grid OR distribute) near2 computing) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 12:11 |
| L27 | 105 | L26 AND (error near3 correct\$3) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 12:12 |
| L28 | 0 | L26 AND ((error near3 correct\$3) WITH (estimat\$3 near3 result)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 12:13 |

EAST Search History

| | | | | | | |
|-----|-------|--|--------------------------------|----|----|------------------|
| L29 | 0 | L26 AND ((error near3 correct\$3) SAME (estimat\$3 near3 result)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 12:13 |
| L30 | 0 | L26 AND ((fault) SAME (estimat\$3 near3 result)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 12:15 |
| L31 | 1027 | L26 AND L14 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 12:15 |
| L32 | 1 | L26 AND (estimate ADJ result) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 12:16 |
| L33 | 12 | L26 AND (estimate near3 result) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 12:17 |
| L34 | 0 | L18 AND (estimat\$4 WITH fault) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 12:26 |
| L35 | 2 | L18 AND (estimat\$4 SAME fault) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 12:26 |
| L36 | 2 | (error ADJ correction) WITH ((grid OR distribut\$3) ADJ computing) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 12:35 |
| L37 | 2 | L26 AND (estimat\$3 near3 result) SAME client | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 13:03 |
| L38 | 59447 | "714".clas. OR "718".clas. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 13:10 |
| L39 | 31405 | L38 AND L14 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 13:11 |
| L40 | 5 | L39 AND (client SAME (estimat\$3 near2 result)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 13:13 |
| L41 | 5 | L40 NOT L37 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 13:14 |
| L42 | 41 | L39 AND (client AND (estimat\$3 near2 result)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 13:24 |
| L43 | 36 | L42 NOT (L41 OR L37) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/16 13:25 |

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|--|--------------------------------|------------------|---------|------------------|
| L1 | 1 | ("20050081083").PN. | US-PGPUB | OR | OFF | 2007/11/19 11:01 |
| L2 | 1 | ("6460144").PN. | USPAT; USOCR | OR | OFF | 2007/11/19 11:01 |
| L3 | 1 | ("6122753").PN. | USPAT; USOCR | OR | OFF | 2007/11/19 11:01 |
| L4 | 1 | ("2000083038").PN. | JPO | OR | OFF | 2007/11/19 11:01 |
| L5 | 1 | ("2001326665").PN. | JPO | OR | OFF | 2007/11/19 11:01 |
| L6 | 1358 | (714/4).CCLS. | USPAT; USOCR | OR | OFF | 2007/11/19 11:01 |
| L7 | 186079 | ((grid OR distribute OR RAID OR (Redundant ADJ Array ADJ of ADJ Independent ADJ (Drives OR Disks)) OR demand OR utility OR cloud or volunteer) near2 computing) OR (computing ADJ on ADJ demand) OR (computer near2 computer) OR (virtual ADJ super\$1computer) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L8 | 133989 | (approximat\$3 OR guess\$2 OR estimat\$2 OR rough OR surmis\$2 OR relative) near3 result\$3 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L9 | 76 | L7 SAME L8 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L10 | 0 | L7 SAME L8 AND L6 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L11 | 34 | L7 WITH L8 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L12 | 17661 | ((grid OR distribute OR RAID OR (Redundant ADJ Array ADJ of ADJ Independent ADJ (Drives OR Disks)) OR demand OR utility OR cloud or volunteer) near2 (computing OR processing)) OR (computing ADJ on ADJ demand) OR (computer near2 cluster) OR (virtual ADJ super\$1computer) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L13 | 7 | L12 SAME L8 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |

EAST Search History

| | | | | | | |
|-----|---------|--|--------------------------------|----|----|------------------|
| L14 | 1039331 | (approximat\$3 OR guess\$2 OR estimat\$2 OR rough OR surmis\$2 OR relative OR generat\$3) near3 (result\$3 OR output OR data OR solution OR info OR information) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L15 | 567 | L12 SAME L14 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L16 | 4 | L15 AND L6 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L17 | 545 | "714".clas. AND "718".clas. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L18 | 231 | L17 AND L14 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L19 | 0 | L17 AND L14 AND ((grid OR distribute) near2 computing) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L20 | 3 | L17 AND L14 AND ((grid OR distribute) near2 network) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L21 | 56 | L17 AND L14 AND (grid OR distribute) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L22 | 12 | L17 AND L14 AND (grid OR distribute) AND (error near2 correct\$3) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L23 | 24 | L17 AND L14 AND L12 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L24 | 14 | L23 NOT (L22 OR L21 OR L20 OR L11) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L25 | 1039645 | L17 OR L14 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L26 | 1341 | L17 OR L14 AND ((grid OR distribute) near2 computing) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L27 | 105 | L26 AND (error near3 correct\$3) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L28 | 0 | L26 AND ((error near3 correct\$3) WITH (estimat\$3 near3 result)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |

EAST Search History

| | | | | | | |
|-----|-------|--|--------------------------------|----|----|------------------|
| L29 | 0 | L26 AND ((error near3 correct\$3) SAME (estimat\$3 near3 result)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L30 | 0 | L26 AND ((fault) SAME (estimat\$3 near3 result)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L31 | 1027 | L26 AND L14 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L32 | 1 | L26 AND (estimate ADJ result) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L33 | 12 | L26 AND (estimate near3 result) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L34 | 0 | L18 AND (estimat\$4 WITH fault) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L35 | 2 | L18 AND (estimat\$4 SAME fault) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L36 | 2 | (error ADJ correction) WITH ((grid OR distribut\$3) ADJ computing) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L37 | 2 | L26 AND (estimat\$3 near3 result) SAME client | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L38 | 59447 | "714".clas. OR "718".clas. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L39 | 31405 | L38 AND L14 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L40 | 5 | L39 AND (client SAME (estimat\$3 near2 result)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L41 | 5 | L40 NOT L37 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L42 | 41 | L39 AND (client AND (estimat\$3 near2 result)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L43 | 36 | L42 NOT (L41 OR L37) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |

EAST Search History

| | | | | | | |
|-----|------|--|--------------------------------|----|----|------------------|
| L44 | 1359 | L39 AND (fault OR error OR inconsist\$5) near3 (detect\$3 OR determin\$5)) AND (((estimat\$3 OR approxim\$3 OR guess\$3) near3 (result OR data OR outcome)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L45 | 240 | L39 AND ((fault OR error OR inconsist\$5) near3 (detect\$3 OR determin\$5)) SAME (((estimat\$3 OR approxim\$3 OR guess\$3) near3 (result OR data OR outcome))) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L46 | 102 | L39 AND ((fault OR error OR inconsist\$5) near3 (detect\$3 OR determin\$5)) WITH (((estimat\$3 OR approxim\$3 OR guess\$3) near3 (result OR data OR outcome))) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L47 | 88 | L46 AND @ad<"20031010" | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:01 |
| L48 | 1695 | (iterati\$2 near3 process\$3) SAME approxim\$3 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:23 |
| L49 | 764 | L48 AND network | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:23 |
| L50 | 38 | L48 AND L12 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:25 |
| L51 | 572 | (iterati\$2 near3 process\$3) WITH approxim\$3 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:40 |
| L52 | 8 | (iterati\$2 near3 process\$3) WITH (approximat\$3 near3 result\$1) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:41 |
| L53 | 0 | (iterati\$2 near3 process\$3) SAME (approximat\$3 near3 result\$1) SAME (device near3 fail\$3) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:51 |
| L54 | 0 | (iterati\$2 near3 process\$3) SAME (approximat\$3 near3 result\$1) SAME (device near5 fail\$3) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:52 |
| L55 | 0 | ((iterati\$2 OR repeat\$3) near3 (process\$3 OR operation)) SAME (approximat\$3 near3 result\$1) SAME (device near5 fail\$3) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:53 |
| L56 | 7 | ((iterati\$2 OR repeat\$3) near3 (process\$3 OR operation)) SAME (approximat\$3 near3 result\$1) SAME fail\$3 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:54 |

EAST Search History

| | | | | | | |
|-----|------|---|--------------------------|-----|----|------------------|
| L57 | 205 | ((iterati\$2 OR repeat\$3) near3 (process\$3 OR operation)) SAME (approximat\$3 near3 result\$1) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:56 |
| L58 | 26 | ((iterati\$2 OR repeat\$3) near3 (process\$3 OR operation)) WITH (approximat\$3 near3 result\$1) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 11:57 |
| L59 | 9212 | ((iterati\$2 OR repeat\$3) near3 (process\$3 OR operation)) SAME (fail\$3 OR (error near5 handl\$3)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 12:00 |
| L60 | 392 | ((iterati\$2 OR repeat\$3) near3 (process\$3 OR operation)) SAME ((fail\$3 near3 device) OR (error near5 handl\$3)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 12:01 |
| L61 | 8 | ((iterati\$2 OR repeat\$3) near3 (process\$3 OR operation)) SAME ((fail\$3 near3 device) OR (error near5 handl\$3)) AND L12 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 12:01 |
| L62 | 8 | barnes ADJ hut | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 12:56 |
| L63 | 2939 | ((approximat\$3 OR estimat\$3) near4 (result\$1 OR process\$3 OR operation\$1)) SAME fail\$3 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 13:09 |
| L64 | 4 | ((approximat\$3 OR estimat\$3) near4 (result\$1 OR process\$3 OR operation\$1)) SAME fail\$3 AND (grid ADJ computing) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 13:09 |
| L65 | 128 | ((approximat\$3 OR estimat\$3) near4 (result\$1 OR process\$3 OR operation\$1)) SAME (device near2 fail\$3) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 13:11 |
| L66 | 76 | ((approximat\$3 OR estimat\$3) near4 (result\$1 OR process\$3 OR operation\$1)) SAME (device near2 fail\$3) AND network | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 13:11 |
| L67 | 55 | L66 AND @ad<"20031010" | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 13:19 |
| L68 | 0 | Adaptive and scaLable internet-based Computing Engine | US-PGPUB; USPAT; IBM_TDB | ADJ | ON | 2007/11/19 14:48 |
| L69 | 0 | Adaptive scaLable internet-based Computing Engine | US-PGPUB; USPAT; IBM_TDB | ADJ | ON | 2007/11/19 14:49 |
| L70 | 4477 | ALICE | US-PGPUB; USPAT; IBM_TDB | ADJ | ON | 2007/11/19 14:49 |

EAST Search History

| | | | | | | |
|-----|------|--|--------------------------------|-----|----|------------------|
| L71 | 4 | ALICE AND grid computing | US-PGPUB; USPAT; IBM_TDB | ADJ | ON | 2007/11/19 14:49 |
| L72 | 715 | nodal near3 network | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 16:07 |
| L73 | 9453 | node near3 fail\$3 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 16:08 |
| L74 | 461 | (node near3 fail\$3) WITH handl\$3 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 16:09 |
| L75 | 3 | (node near3 fail\$3) WITH handl\$3 WITH delay | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 16:09 |
| L76 | 8 | (node near3 fail\$3) WITH handl\$3 SAME delay | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 16:22 |
| L78 | 5 | L76 NOT L75 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 16:22 |
| L79 | 316 | L74 AND @ad<"20031010" | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 16:39 |
| L80 | 0 | L79 AND (barnes ADJ hut) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 16:45 |
| L81 | 0 | L79 AND (n\$1body) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 16:45 |
| L82 | 3317 | (n\$1body) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 16:45 |
| L83 | 2339 | L82 AND @ad<"20031010" | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 16:51 |
| L84 | 15 | L83 AND (nod\$2 near3 fail\$3) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/19 16:52 |